



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



LT Power Cables - Aluminium conductor

PRICE LIST Dated: 5th June 2019

HAVELLS BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm & balance stranded conductor, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm & balance Aluminium strip, Galvanised wire for cables upto 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip) extruded PVC Type ST2 Outer sheathed, 650/1100V grade as per IS 7098(Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		51	55		61		78	86		99
6		57	65		77		91	100		113
10		68	84		99		108	126		141
16	39	81	107		132	71	124	134		161
25	55	114	156	178	190	91	139	181	203	220
35	64	135	187	213	237	103	161	215	242	269
50	84	174	245	283	311	125	200	272	314	347
70	111	233	339	390	433	160	268	366	427	470
95	151	313	419	485	543	180	344	454	515	573
120	189	374	518	609	677	216	409	543	644	702
150	229	454	642	735	840	257	494	670	762	865
185	282	568	798	925	1043	314	616	819	951	1074
240	353	754	1021	1178	1337	385	801	1047	1197	1371
300	433	931	1255	1448	1635	469	976	1265	1467	1653
400	569	1193	1576	1826	2062	589	1229	1608	1868	2100
500	677	1500	2054	2374	2678	807	1626	2179	2539	2850
630	807	1891	2721	3219	3613	942	2046	2889	3450	3856
800	1131					1298				
1000	1330					1497				

EXTRAS FOR SPECIAL CONSTRUCTION:

	Cable Size (Sq.mm)	FRLS Loading Factor			LSZH Loading	
		Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
			Armd.	Unarmd.		
a) Round Wire Armouring						
- 2 x 16 & above	25.00%					
- 3 x 16 & 3.5CX25 & above	25.00%					
- 4 x 10 & above	25.00%					
- For Single core 95 & above	25.00%					
b) Stranding 10 sq.mm and below	10.00%					
c) Extruded PVC Innersheath Up 50	5.00%					
Extruded PVC Innersheath 70 & Above	2.50%					
d) HR PVC Insulation	10.00%					
e) HR PVC Inner Sheath	5.00%					
f) HR PVC Outer Sheath	5.00%					
g) Oxygen Index (FR)	2.50%					
h) PVC Insulated Cables	8.00%					

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



LT Power and Control Cables - Copper conductor

PRICE LIST Dated: 5th June 2019

HAVELLS BRAND Power/Control Copper Cables, Solid Copper conductor upto 6 sqmm & balance Stranded Copper, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 10x1.5 sqmm, 8x2.5 sqmm, 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip), extruded PVC Type ST2 Outer Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XWaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		111	156		201		137	178		225
6		157	222		290		183	244		314
10		259	366		480		291	392		505
16	188	370	541		715	203	415	554		728
25	290	568	851	1027	1125	336	634	908	1093	1196
35	400	787	1177	1355	1559	455	866	1249	1434	1649
50	547	1076	1615	1889	2139	615	1176	1703	1991	2256
70	778	1530	2306	2688	3085	866	1664	2419	2818	3232
95	1045	2129	3203	3739	4289	1217	2389	3473	4058	4649
120	1320	2679	4030	4800	5412	1530	2997	4365	5199	5851
150	1649	3343	5039	5810	6764	1903	3737	5448	6283	7303
185	2030	4121	6210	7262	8332	2342	4598	6704	7838	8981
240	2616	5314	8014	9343	10755	3006	5914	8637	10067	11576
300	3259	6629	9992	11654	13415	3748	7365	10753	12541	14424
400	4286	8703	13121	15183	17625	4911	9656	14110	16316	18925
500	5412					6196				
630	6817					7798				
800	8651					9881				
1000	10810					12334				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
	2	57	81	81		105	14	270	419
3	71	104	99	133	16	306	480	344	521
4	89	133	118	165	19	360	567	399	610
5	106	159	138	198	24	455	713	499	765
6	125	190	158	230	27	509	798	557	852
7	142	218	175	260	30	583	914	638	982
8	165	249	198	292	37	712	1121	778	1199
10	198	307	254	342	44	844	1347	945	1483
12	234	364	292	400	61	1161	1852	1290	2021

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

A) Tinning	3.00%	E) OXYGEN INDEX (FR)	2.50%
B) Stranding (Upto 6 SQ.MM)	4.00%	F) HR PVC INSULATION	7.00
C) Extruded Innersheath	2.50%	G) HR PVC I.SH/O/SH.	5.00% (Each)
D) Round Wire Armouring		H) FRLS Loading-Power Cable (upto 6 sq.mm)	7.50%
1C x 95 sq. mm & above	7.50%	I) FRLS Loading-Power Cable(10sq.mm & above)	4.00%
1.5 sq.mm - 12 core & above	15.00%	J) PVC Insulated Cables	5%
2.5 sq.mm - 9 core & above	15.00%		
10 sq.mm - 4 core & above	15.00%		
16 sq.mm - 2 core & above	15.00%		
16 sq.mm - 3 core & above	15.00%		

FRLS Loading Factor- Control Cable				LSZH Loading	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	6.0%	6.0%	15.0%	15.0%
5 - 10	5.0%	4.0%	4.0%	15.0%	15.0%
12 & Above	5.0%	4.0%	4.0%	12.5%	12.5%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



HT Single Core Power Cables - Aluminium conductor

PRICE LIST Dated: 5th June 2019

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL ROUND WIRE ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XWαY						
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			243				
50			268				
70	281	288	306				
95	318	323	341	446	462	616	
120	359	363	386	513	520	679	
150	401	406	425	556	565	708	839
185	461	472	509	646	662	787	920
240	569	580	638	743	761	890	1092
300	660	678	747	837	857	1044	1203
400	790	822	891	991	1013	1192	1376
500	996	1044	1080	1238	1238	1465	1589
630	1233	1255	1288	1469	1469	1716	1859
800	1529	1542	1564	1717	1717	1965	2234
1000	1844	1851	2036	2234	2234	2389	2567

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



HT Single Core Power Cables - Aluminium conductor

PRICE LIST Dated: 5th June 2019

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL FLAT STRIP ARMOURED** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XFaY						
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			231				
50			254				
70	267	274	292				
95	303	306	325	422	438	586	
120	341	344	366	489	494	644	
150	380	385	402	529	538	673	798
185	437	449	482	614	630	748	874
240	541	552	607	706	724	846	1037
300	627	643	708	796	813	991	1143
400	750	781	848	942	964	1133	1308
500	945	991	1027	1178	1178	1391	1509
630	1172	1192	1223	1398	1398	1630	1767
800	1453	1466	1486	1631	1631	1867	2124
1000	1752	1759	1932	2124	2124	2277	2438

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



HT Three Core Power Cables - ALuminium conductor

PRICE LIST Dated: 5th June 2019

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, CORES LAID UP, INNERSHEATH OF PVC, **GALVANISED STEEL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART-2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XFY						
	3.3 KV (E/UE)	6.6 KV(E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			560				
50			633				
70	659	704	752				
95	798	838	890	1151	1198	1597	
120	939	979	1026	1338	1367	1822	
150	1060	1104	1147	1479	1508	1929	2291
185	1249	1274	1335	1653	1690	2130	2537
240	1480	1541	1601	1945	1981	2437	2877
300	1748	1838	1862	2236	2272	2737	3208
400	2125	2298	2341	2629	2676	3169	3690

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5.0%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.